

An Introduction to knitr

Yihui Xie

August 9, 2013

The **knitr** package (Xie, 2013) is an alternative tool to Sweave based on a different design with more features. This document is not the real vignette, but only serves as a placeholder to guide you to the real manuals of this package. You can find them in the package website: <http://yihui.name/knitr>¹, and remember to read the help pages of functions in this package.

Anyway, here is a code chunk that shows you can compile vignettes with **knitr** as well by using a proper Makefile (see <http://yihui.name/knitr/demo/vignette/>):

```
rnorm(5)

## [1] -0.06443 -1.91671 -1.07510 -1.00662 -0.04219

df = data.frame(y = rnorm(100), x = 1:100)
summary(lm(y ~ x, data = df))

##
## Call:
## lm(formula = y ~ x, data = df)
##
## Residuals:
##      Min       1Q   Median       3Q      Max
## -2.7900 -0.7344  0.0006  0.9757  2.3995
##
## Coefficients:
##              Estimate Std. Error t value Pr(>|t|)
## (Intercept) -0.22526    0.22974   -0.98    0.33
## x            0.00322    0.00395    0.82    0.42
##
## Residual standard error: 1.14 on 98 degrees of freedom
## Multiple R-squared:  0.00675, Adjusted R-squared:  -0.00338
## F-statistic: 0.666 on 1 and 98 DF,  p-value: 0.416
```

References

Xie Y (2013). *knitr: A general-purpose package for dynamic report generation in R*. R package version 1.4, URL <http://yihui.name/knitr/>.

¹e.g. the main manual: <https://bitbucket.org/stat/knitr/downloads/knitr-manual.pdf> and the graphics manual: <https://bitbucket.org/stat/knitr/downloads/knitr-graphics.pdf>